

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	166193	(device or drive or content or media) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:18
S2	72484	S1 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 08:59
S3	8543	S2 and ((internal or \$cipher\$3 or \$2crypt\$8) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 09:00
S4	248	S3 and ((determin\$3 or ensur\$3) with (differ\$5 with key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 09:00
S5	1647	380/200,201,277.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 09:01
S6	30	S5 and S4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 09:50
S7	9	("4197502" or "4440976" or "4771458" or "4802215").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:13
S8	2934	(key with expir\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:13

S9	1168	S8 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:14
S10	502	S9 and ((\$2cipher\$3 or \$2crypt\$8) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:14
S11	369	S10 and S3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:15
S12	35	S11 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:16
S13	40	S9 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:04
S14	10	S13 and (initial with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:24
S15	58	(determin\$3 with (initial adj key))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:24
S16	35	S15 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:25

S17	10	S16 and S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 10:25
S18	1975	713/189,193-194.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:04
S19	2937	(key with expir\$5)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:05
S20	1170	S19 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:05
S21	23	S18 and S20	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S22	166303	(device or drive or content or media) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S23	72493	S22 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S24	8545	S23 and ((internal or \$cipher\$3 or \$2crypt\$8) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07

S25	503	S20 and ((\$2cipher\$3 or \$2crypt\$8) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S26	369	S25 and S24	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:07
S27	20	S18 and S26	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S28	746	S18 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S29	1656	380/200,201,277.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S30	717	S29 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S31	717	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:11
S32	12958	ban\$4 with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:13

S33	573	S32 and ((content or file or media or dis\$1 or drive) with (manager or management))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:12
S34	14	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:12
S35	18	(banning or banned) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:17
S36	7	S35 and S33	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:14
S37	56	(banning or banned or blacklist\$3) with (key or passcode)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:18
S38	7	S37 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:19
S39	1138	(ensur\$3 or verify\$3) with (different or new) with key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:21
S40	504	S39 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:21

S41	52	S40 and ((content with manage\$4) and (\$2crypt\$3 or \$2cipher\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:22
S42	49	S41 and ((check\$3 or compar\$3 or determin\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:22
S43	51	S41 and ((check\$3 or compar\$3 or determin\$3 or verify\$3) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:36
S44	18	S43 and ((replay or reply) with (attack or hack))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:26
S45	0	S43 and ((ban or banned or banning) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:29
S46	0	S40 and ((ban or banned or banning) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:29
S47	12	S41 and ((check\$3 or compar\$3 or determin\$3 or verify\$3) with (expir\$5) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:36
S48	516	((check\$3 or compar\$3 or determin\$3 or verify\$3) with (expir\$5) with key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:37

S49	212	S48 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:38
S50	23	S49 and (content with manage\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:38
S51	109	authentica\$3 with (content adj management)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:29
S52	18	S51 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:19
S53	12	S52 and ((decrypt\$3 or decipher\$3) with authentica\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:19
S54	109	authentica\$3 with (content adj management)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:29
S55	18	S54 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:29
S56	0	S55 and (mutual adj authentica\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:30

S57	1593	(mutual adj authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:30
S58	363	S57 and @ad<"20000412"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:32
S59	3	S58 and (right\$1 with management)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:30
S60	932	S57 and (decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:33
S61	4	("5923754" or "6801999").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:25



PLUS Search Results for S/N 09727984, Searched August 22, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

5872834  
5966446  
6016476  
6040783  
6084968  
6148094  
6307956  
6848052  
6877097  
H002120  
6925565  
6219793  
6219793  
6317544  
6678984  
6793134  
6812840  
6880750  
6893396  
6539101  
6850147  
5485519  
5987155  
5995630  
6052468  
6084977  
6160903  
5229764  
5245329  
5337043  
5787187  
5907149  
5991431  
6105010  
6145083  
6219439  
6219439  
6230148  
4827518  
4890323  
4941173  
5065429  
5191611  
5208858  
5218644  
5224173  
5335288  
5367295  
5412727  
5457747